DECORATIVE WOODEN POLES

RUKA -Square



Wood



All shafts are manufactured from GL28h glued-laminated timber. The raw materials we use toproduce our wooden columns are harvested from sustainability managed, PEFC certified forests. All wood is treated with a water-based stain finish consisting of four protective coats, VOCs<100g/l.

The range is designed and developed according to eurocodes 5, standard EN40 and EN1995.

Steel

Raw material: low-silicon steel (Si + P \leq 0.04%) Zinc coating: international standard EN ISO 1461 (layer thickness typically <90 µm).

PEDESTRIAN / PARK

			<u>•</u>	<u>×</u> ⊼							
Height (m)	Top □(mm)	Base □(mm)	Base height (mm)	Height	Door (mm) Width Distance Internal dimensions		Flange Bolt spacing	(mm) Width	Embeddin Concrete	ng (mm) Ground	
3	140	140	1300	400	85	500	80x105	200x200	270	be be	800
4	140	140	1300	400	85	500	80x105	200x200	270	ording th ation to used	800
5	140	140	1300	400	85	500	80x105	200x200	270	According the foundation to be used	800
6	140	140	1300	400	85	500	80x105	200x200	270	fob	1000

CAPACITY OF THE POLES

m	m/s	22 cat 1	22 cat 2	22 cat 3	24 cat 1	24 cat 2	24 cat 3	26 cat 1	26 cat 2	26 cat 3	28 cat 1	28 cat 2	28 cat 3	32 cat 1	32 cat 2	32 cat 3
3	3	3,92	4,71	5,23	3,24	3,89	4,33	2,70	3,26	3,63	2,28	2,75	3,07	1,66	2,01	2,25
Z	1	2,49	3,17	3,63	2,01	2,57	2,95	1,64	2,11	2,44	1,34	1,74	2,03	0,91	1,21	1,42
5	5	1,57	2,02	2,49	1,24	1,62	2,01	0,96	1,29	1,64	0,74	1,02	1,31	0,42	0,63	0,84
6	5	0,90	1,22	1,65	0,66	0,93	1,28	0,47	0,70	0,99	0,31	0,51	0,77	0,05	0,22	0,40

Reference load used for calculation max 20 kg, SCX max m².



Valaisinsovitteen mitoitusvaihtoehtoja (mm)

Ø 60 x 70

Ø 60 x 100

Ø 76 x 70

Ø 76 x 100



In Pedestrian/Park-models lantern is mounted either as post-top or optionally with short side arm.



RUKA -mallit saatavilla myös erilaisilla dekoratiivisilla erikoistyöstöillä.

DECORATIVE WOODEN POLES SURFACE TREATMENT



WOOD

Wood is treated against ageing and natural enemies of wood, such as blue stain fungi, mildew and rot. As a natural material wood is expected to expand and shrink as the seasons and moisture change. Our elastic coating is designed to adapt to this behaviour of wood without cracking. Several layers are applied to give wood its final colour and to protect against UV radiation to maintain desired looks. Consistent coating is achieved on by using spray gun and modern drying chamber.



POWDER COATING



 $\label{eq:control} \mbox{Our Tehocoat } \ensuremath{\mathbb{B}}\xspace \mbox{ coating ensures high quality for surface finishing.}$

Powder coating is a fast, durable and environmentally friendly solution. Coating powders contain no volatile organic compounds and can be used to obtain a durable surface resistant to mechanical and chemical abrasion. In addition to powder coating, our paint shop can also apply wet paints and Plascoat thermoplastic coatings, and utilize modern

solutions to produce different kinds of textures.



NOTE: Due to printing techniques, the colours presented may differ from reality.

Copyright @ and Intellectual Property of Tehomet - a Valmont Company 2018. Tehomet - a Valmont Company reserves the right to modify, immediately and without notice, any technical or aesthetic specifications it deems necessary to improve its products. Do not duplicate this document without written permission from Tehomet - a Valmont Company.