

CHIC

Clear dome-shaped glass cover.
120° wide beam angle.
Switchable CCT: 2700K-3000K.
IP65 rated for outdoor indoor use.
Wall-mounted for decorative and functional lighting.









Quick Info

- LED : 3.5W, CRI>90
- CCT Switchable 2700K-3000K
- Beam Angle: 120°
- Lumen Output: Up to 390lm System Luminous Flux
- IP Class: IP65
- LED Driver: Phase Dim



Light Distribution



Finish



Order Info

LED Power	System Power	LED Voltage	LED Current	CRI	CCT	Beam	LED Output	System Output	Code
3.5W	5W	14V	250mA		@2700K 120° @3000K 120°		430lm 460lm	250lm 280lm	CHIC-9S2A205P-WM
3.5W	5W	14V	250mA		@2700K 120° @3000K 120°		430lm 460lm	350lm 390lm	CHIC-9S2A205P-WS
3.5W	5W	14V	250mA		@2700K 120° @3000K 120°		430lm 460lm	350lm 390lm	CHIC-9S2A205P-WC

Code Remark: P=P(Phase Dim)

Coding

CHIC	-	***	**	**	*	-	*	*	-	*
Model	CRI/ CCT	Beam Angle	Power	Control	Finish	Reflector Color	Accessory			
CHIC	9S2	A2	05	P	W	BM				
CHIC-5W	CRI90/ 2700K-3000K Switchable	120°	5W	Phase Dim	White	Black-Marble				
					B	White-Marble				
					Black	White-Smoke Grey				
						Black-Smoke Grey				
						Black-Clear				
						White-Clear				

